


Serial No.: 10/693,161  
 Jeppesen et al.  
 Filed: October 24, 2003  
 Transmitted via facsimile to: 571-273-8300

In the Claims:

# CLAIM LISTING

1. (Currently amended) A compound of the general formula (I):



wherein  $X_1$  is aryl phenyl or a 5-, 6- or 10-membered heteroaryl having one heteroatom selected from O or S, each of which is optionally substituted with one or more substituents selected from

- halogen, hydroxy, cyano, amino or carboxy; or
- $C_{1-6}$ -alkyl,  $C_{3-6}$ -cycloalkyl,  $C_{2-6}$ -alkenyl,  $C_{2-6}$ -alkynyl, aralkyl, heteroaralkyl,  $C_{1-6}$ -alkoxy,  $C_{3-6}$ -cycloalkoxy, aryloxy, aralkoxy, heteroaralkoxy,  $C_{1-6}$ -alkylthio, arylthio,  $C_{3-6}$ -cycloalkylthio,  $C_{1-6}$ -alkylcarbonyl, arylcarbonyl,  $C_{1-6}$ -alkylsulfonyl,  $C_{1-6}$ -alkylsulfonyloxy, arylsulfonyl, arylsulfonyloxy,  $C_{1-6}$ -alkylamido, arylamido,  $C_{1-6}$ -alkylaminocarbonyl,  $C_{1-6}$ -alkylamino,  $C_{1-6}$ -dialkylamino or  $C_{3-6}$ -cycloalkylamino each of which is optionally substituted with one or more halogens; and

$X_2$  is aryl phenyl or a 5-, 6-, or 10-membered heteroaryl having one heteroatom selected from O or S, each of which is optionally substituted with one or more substituents selected from

- halogen, hydroxy, cyano, amino or carboxy; or
- $C_{1-6}$ -alkyl,  $C_{3-6}$ -cycloalkyl,  $C_{2-6}$ -alkenyl,  $C_{2-6}$ -alkynyl, aralkyl, heteroaralkyl,  $C_{1-6}$ -alkoxy,  $C_{3-6}$ -cycloalkoxy, aryloxy, aralkoxy, heteroaralkoxy,  $C_{1-6}$ -alkylthio, arylthio,  $C_{3-6}$ -cycloalkylthio,  $C_{1-6}$ -alkylcarbonyl, arylcarbonyl,  $C_{1-6}$ -alkylsulfonyl,  $C_{1-6}$ -alkylsulfonyloxy, arylsulfonyl, arylsulfonyloxy,  $C_{1-6}$ -alkylamido, arylamido,  $C_{1-6}$ -alkylaminocarbonyl,  $C_{1-6}$ -alkylamino,  $C_{1-6}$ -dialkylamino or  $C_{3-6}$ -cycloalkylamino each of which is optionally substituted with one or more halogens; and

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

cycloalkylamino each of which is optionally substituted with one or more halogens; and

Ar is arylene which is optionally substituted with one or more substituents selected from

- halogen, hydroxy or cyano; or
- C<sub>1-6</sub>-alkyl, C<sub>3-6</sub>-cycloalkyl, C<sub>2-6</sub>-alkenyl, C<sub>2-6</sub>-alkynyl, aryl, heteroaryl, aralkyl, heteroaralkyl, C<sub>1-6</sub>-alkoxy, C<sub>3-6</sub>-cycloalkoxy, aryloxy, aralkoxy, heteroaralkoxy, C<sub>1-6</sub>-alkylthio, arylthio or C<sub>3-6</sub>-cycloalkylthio each of which is optionally substituted with one or more halogens; and

Y<sub>1</sub> is O or S; and

Y<sub>2</sub> is O or S; and

Z is -(CH<sub>2</sub>)<sub>n</sub>- wherein n is 1, 2 or 3; and

R<sub>1</sub> is hydrogen, halogen or a substituent selected from

- C<sub>1-6</sub>-alkyl, C<sub>3-6</sub>-cycloalkyl, C<sub>2-6</sub>-alkenyl, C<sub>2-6</sub>-alkynyl, aralkyl, heteroaralkyl, C<sub>1-6</sub>-alkoxy, C<sub>3-6</sub>-cycloalkoxy, aryloxy, aralkoxy, heteroaralkoxy, C<sub>1-6</sub>-alkylthio, arylthio or C<sub>3-6</sub>-cycloalkylthio each of which is optionally substituted with one or more halogens; and

R<sub>2</sub> is hydrogen, C<sub>1-6</sub>-alkyl, C<sub>3-6</sub>-cycloalkyl, C<sub>2-6</sub>-alkenyl, C<sub>2-6</sub>-alkynyl, C<sub>4-6</sub>-alkenynyl or aryl; or

a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate thereof, or any tautomeric forms, stereoisomers, mixture of stereoisomers, ~~or including~~ a or racemic mixtures thereof, or polymorphs.

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

2. (Currently amended) A compound according to claim 1, wherein  $X_1$  is aryl  
phenyl or a 5-, 6-, or 10-membered heteroaryl having one heteroatom selected from  
O or S, optionally substituted with one or more substituents selected from

- halogen; or
- $C_{1-6}$ -alkyl,  $C_{1-6}$ -alkoxy,  $C_{1-6}$ -alkylsulfonyl or  $C_{1-6}$ -alkylsulfonyloxy each of which is optionally substituted with one or more halogens.

3. (Original) A compound according to claim 2, wherein  $X_1$  is phenyl, furyl, thienyl, benzothienyl or benzofuranyl, optionally substituted with one or more substituents selected from

- halogen; or
- $C_{1-6}$ -alkyl,  $C_{1-6}$ -alkoxy,  $C_{1-6}$ -alkylsulfonyl or  $C_{1-6}$ -alkylsulfonyloxy each of which is optionally optionally substituted with one or more halogens.

4. (Original) A compound according to claim 3, wherein  $X_1$  is phenyl, furyl, thienyl, benzothienyl or benzofuranyl, optionally substituted with one or more substituents selected from

- halogen; or
- $C_{1-6}$ -alkyl optionally substituted with one or more halogens.

5. (Original) A compound according to claim 4, wherein  $X_1$  is phenyl, optionally substituted with one or more substituents selected from halogen,  $C_{1-6}$ -alkyl or perhalomethyl.

6. (Original) A compound according to claim 5, wherein  $X_1$  is phenyl optionally substituted with one or more halogens.

7. (Original) A compound according to claim 4, wherein  $X_1$  is thienyl optionally substituted with one or more substituents selected from halogen or  $C_{1-6}$ -alkyl.

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

8. (Original) A compound according to claim 4, wherein X<sub>1</sub> is furyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.
9. (Original) A compound according to claim 4, wherein X<sub>1</sub> is benzothienyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.
10. (Original) A compound according to claim 4, wherein X<sub>1</sub> is benzofuranyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.
11. (Currently amended) A compound according to claim 1 wherein X<sub>2</sub> is ~~aryl~~ phenyl or a 5-, 6- or 10-membered heteroaryl having one heteroatom selected from O or S, each of which is optionally substituted with one or more substituents selected from
- halogen; or
  - C<sub>1-6</sub>-alkyl, C<sub>1-6</sub>-alkoxy, C<sub>1-6</sub>-alkylsulfonyl or C<sub>1-6</sub>-alkylsulfonyloxy each of which is optionally substituted with one or more halogens.
12. (Original) A compound according to claim 11, wherein X<sub>2</sub> is phenyl, furyl, thienyl, benzothienyl or benzofuranyl optionally substituted with one or more substituents selected from
- halogen; or
  - C<sub>1-6</sub>-alkyl, C<sub>1-6</sub>-alkoxy, C<sub>1-6</sub>-alkylsulfonyl or C<sub>1-6</sub>-alkylsulfonyloxy each of which is optionally optionally substituted with one or more halogens.
13. (Original) A compound according to claim 12, wherein X<sub>2</sub> is phenyl, furyl, thienyl, benzothienyl or benzofuranyl optionally substituted with one or more substituents selected from
- halogen; or
  - C<sub>1-6</sub>-alkyl optionally substituted with one or more halogens.

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

14. (Original) A compound according to claim 13, wherein X<sub>2</sub> is phenyl optionally substituted with one or more substituents selected from halogen, C<sub>1-6</sub>-alkyl or perhalomethyl.

15. (Original) A compound according to claim 14, wherein X<sub>2</sub> is phenyl optionally substituted with one or more halogens.

16. (Original) A compound according to claim 13, wherein X<sub>2</sub> is thienyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.

17. (Original) A compound according to claim 13, wherein X<sub>2</sub> is furyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.

18. (Original) A compound according to claim 13, wherein X<sub>1</sub> is benzothienyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.

19. (Original) A compound according to claim 13, wherein X<sub>1</sub> is benzofuranyl optionally substituted with one or more substituents selected from halogen or C<sub>1-6</sub>-alkyl.

20. (Original) A compound according to claim 1, wherein Ar is phenylene which is optionally substituted with one or more substituents selected from

- halogen, hydroxy or cyano; or
- C<sub>1-6</sub>-alkyl, C<sub>3-6</sub>-cycloalkyl, C<sub>2-6</sub>-alkenyl, C<sub>2-6</sub>-alkynyl, aryl, heteroaryl, aralkyl, heteroaralkyl, C<sub>1-6</sub>-alkoxy, C<sub>3-6</sub>-cycloalkoxy, aryloxy, aralkoxy, heteroaralkoxy, C<sub>1-6</sub>-alkylthio, arylthio or C<sub>3-6</sub>-cycloalkylthio each of which is optionally substituted with one or more halogens.

21. (Original) A compound according to claim 20, wherein Ar is phenylene which is optionally substituted with one or more substituents selected from

- halogen; or

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

- C<sub>1-6</sub>-alkyl, aryl, C<sub>1-6</sub>-alkoxy, aryloxy or aralkoxy each of which is optionally substituted with one or more halogens.
22. (Original) A compound according to claim 21, wherein Ar is phenylene optionally substituted with one or more substituents selected from halogen, C<sub>1-6</sub>-alkyl, C<sub>1-6</sub>-alkoxy, phenyl or perhalomethyl.
23. (Original) A compound according to claim 1, wherein Y<sub>1</sub> is O.
24. (Original) A compound according to claim 1, wherein Y<sub>1</sub> is S.
25. (Original) A compound according to claim 1, wherein Y<sub>2</sub> is O.
26. (Original) A compound according to claim 1, wherein Y<sub>2</sub> is S.
27. (Original) A compound according to claim 1, wherein n is 1.
28. (Original) A compound according to claim 1, wherein R<sub>1</sub> is hydrogen or a substituent selected from C<sub>1-6</sub>-alkyl, aralkyl, C<sub>1-6</sub>-alkoxy, aryloxy, aralkoxy each of which is optionally substituted with one or more halogens.
29. (Original) A compound according to claim 28, wherein R<sub>1</sub> is hydrogen or a substituent selected from C<sub>1-6</sub>-alkyl or C<sub>1-6</sub>-alkoxy each of which is optionally substituted with one or more halogens.
30. (Original) A compound according to claim 29, wherein R<sub>1</sub> is hydrogen.
31. (Original) A compound according to claim 1, wherein R<sub>2</sub> is hydrogen.
32. (Original) A compound according to claim 1, wherein R<sub>2</sub> is methyl or ethyl.

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

33. **(Currently amended)** A compound according to claim 1, which is selected from the following:

{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(4-bromo-phenyl)-allyloxy]-2,6-diphenyl-phenoxy}-acetic acid ethyl ester, and

{4-[3,3-Bis-(4-bromo-phenyl)-allyloxy]-2,6-diphenyl-phenoxy}-acetic acid, or a pharmaceutically acceptable salt thereof, a pharmaceutically acceptable solvate, tautomeric form, stereoisomer, mixture of stereoisomers, or racemic mixtures, ~~or~~ **polymorphs** thereof.

34. **(Currently amended)** A compound according to claim 1, which is selected from the following:

{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester, {4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid, {4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(4-bromo-phenyl)-allyloxy]-2-methyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-bromo-phenyl)-allyloxy]-2-methyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid,

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid methyl ester,

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid,

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid methyl ester,  
~~{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid,~~  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid methyl ester,  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-ethyl-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid methyl ester,  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-bromo-phenyl)-2-ethoxy-allylsulfanyl]-2-methyl-phenoxy}-acetic acid methyl ester, and  
{4-[3,3-Bis-(4-bromo-phenyl)-2-ethoxy-allylsulfanyl]-2-methyl-phenoxy}-acetic acid,  
or  
a pharmaceutically acceptable salt, pharmaceutically acceptable solvate, tautomeric form, stereoisomer, mixture of stereoisomers, or racemic mixtures, ~~or polymorphs~~ thereof.

35. (Currently amended) A compound according to claim 1, which is selected from the following;

(E/Z)-[4-[3-(Benzo[b]thiophen-2-yl)-3-(4-bromophenyl)allylsulfanyl]-2-methylphenoxy]acetic acid,  
(E/Z)-[4-[3-(4-Bromophenyl)-3-(5-methylthiophen-2-yl)allylsulfanyl]-2-methylphenoxy]acetic acid,  
(E/Z)-[4-[3-(Furan-2-yl)-3-(4-trifluoromethylphenyl)allylsulfanyl]-2-methylphenoxy]acetic acid,  
(E/Z)-[4-[3-(5-Methylthiophen-2-yl)-3-(4-trifluoromethylphenyl)allylsulfanyl]-2-methylphenoxy]acetic acid,  
(E/Z)-[4-[3-(Benzo[b]thiophen-3-yl)-3-(4-trifluoromethylphenyl)allylsulfanyl]-2-methylphenoxy]acetic acid,  
(E/Z)-[4-[3-(Benzo[b]thiophen-2-yl)-3-(4-trifluoromethylphenyl)allylsulfanyl]-2-methylphenoxy]acetic acid,



Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(4-chloro-phenyl)-allyloxy]-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-trifluoromethyl-phenoxy}-acetic acid,  
{4-[3,3-Bis-(3-methyl-thiophen-2-yl)-allylsulfanyl]-2-trifluoromethyl-phenoxy}-acetic acid,  
[4-(3,3-Di-furan-2-yl-allylsulfanyl)-2-trifluoromethyl-phenoxy]-acetic acid,  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-methoxy-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-methoxy-phenoxy}-acetic acid,  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid, and  
(E/Z)-[4-[3-(5-Bromobenzo[b]furan-2-yl)-3-(thiophen-2-yl)allylsulfanyl]-2-methylphenoxy]acetic acid, or  
a pharmaceutically acceptable salt, pharmaceutically acceptable solvate, tautomeric form, stereoisomer, mixture of stereoisomers, or racemic mixtures, ~~or polymorphs~~ thereof.

36. (Currently amended) A compound according to claim 1, which is selected from the following:

{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-  
acetic acid

{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-  
acetic acid

{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-methyl-phenoxy}-  
acetic acid

{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic  
acid

{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic  
acid

{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic  
acid

{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
acid  
{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-  
acetic acid

{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-bromo-phenoxy}-  
acetic acid

{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid



Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3-(2-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(3-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(4-Fluoro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(2-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(3-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Chloro-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Bromo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Iodo-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Methyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Ethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Trifluoromethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Trifluoroethyl-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Methoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(3-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(4-Ethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3-(2-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
acid  
{4-[3-(3-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3-(4-Trifluoromethoxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(2-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(3-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3-(4-Methanesulfonyloxy-phenyl)-3-phenyl-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid



Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-chloro-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-2-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid  
acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-methyl-phenoxy}-acetic acid

{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-chloro-phenoxy}-acetic acid

{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-bromo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-fluoro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-fluoro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-fluoro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-chloro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-chloro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-chloro-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-bromo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-bromo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-bromo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-iodo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-iodo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-iodo-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid

Serial No.: 10/693,161

Jeppesen et al.

Filed: October 24, 2003

Transmitted via facsimile to: 571-273-8300

{4-[3,3-Bis-(3-trifluoromethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethyl-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-methoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-ethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-ethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-ethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-trifluoromethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-trifluoromethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(4-trifluoromethoxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(2-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid  
{4-[3,3-Bis-(3-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid,  
and  
{4-[3,3-Bis-(4-methanesulfonyloxy-phenyl)-allylsulfanyl]-3-iodo-phenoxy}-acetic acid,  
or  
a pharmaceutically acceptable salt, pharmaceutically acceptable solvate, tautomeric  
form, stereoisomer, mixture of stereoisomers, or racemic mixtures thereof, ~~or  
polymorphs thereof~~.

37. (Cancelled)

38. (Cancelled)

39. (Original) A pharmaceutical composition comprising, as an active ingredient, at least one compound according to claim 1 together with one or more pharmaceutically acceptable carriers or excipients.

40. (Currently amended) A pharmaceutical composition according to claim 39 in unit dosage form, comprising from about 0.05 mg to about 1000 mg, ~~preferably from about 0.1 to about 500 mg of and especially preferred from about 0.5 mg to about 200 mg~~ per day of compound according to claim 1.



Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

41. (Cancelled)

42. (Currently amended) A pharmaceutical composition for the treatment ~~and/or prevention~~ of type I diabetes, type II diabetes, impaired glucose tolerance, insulin resistance or obesity comprising a compound according to claim 1 together with one or more pharmaceutically acceptable carriers or excipients.

43. (Original) A pharmaceutical composition according to claim 39 for oral, nasal, transdermal, pulmonic, or parenteral administration.

44. (Cancelled)

45. (Currently amended) A method for the treatment ~~and/or prevention~~ of type I diabetes, type II diabetes, impaired glucose tolerance, insulin resistance or obesity, the method comprising administering to a subject in need thereof an effective amount of a compound according to any claim 1 or of a pharmaceutical composition comprising the same.

46. (Currently amended) The method according to claim 44 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.05 mg to about 1000 mg, ~~preferably from about 0.1 to about 500 mg of and especially preferred from about 0.5 mg to about 200 mg~~ per day.

47. (Currently amended) The method according to claim 45 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.05 mg to about 1000 mg, ~~preferably from about 0.1 to about 500 mg of and especially preferred from about 0.5 mg to about 200 mg~~ per day.

48. (New) A pharmaceutical composition according to claim 40 in unit dosage form, from about 0.1 to about 500 mg per day of compound according to claim 1.

Serial No.: 10/693,161  
Jeppesen et al.  
Filed: October 24, 2003  
Transmitted via facsimile to: 571-273-8300

49. (New) A pharmaceutical composition according to claim 40 in unit dosage form, comprising from about 0.5 mg to about 200 mg per day of compound according to claim 1.

50. (New) The method according to claim 46 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.1 to about 500 mg per day.

51. (New) The method according to claim 46 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.5 mg to about 200 mg per day.

52. (New) The method according to claim 47 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.1 to about 500 mg per day.

53. (New) The method according to claim 47 wherein the effective amount of the compound according to claim 1 is in the range of from about 0.5 mg to about 200 mg per day.